

# **SAFETY DATA SHEET**

Creation Date 24-Nov-2010 Revision Date 19-Jan-2018 Revision Number 3

1. Identification

Product Name Manganese, powder, -325 mesh

Cat No.: AC317440000; AC317440010; AC317442500

**CAS-No** 7439-96-5

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids Category 2
Serious Eye Damage/Eye Irritation Category 2

Label Elements

Signal Word

Warning

**Hazard Statements** 

Flammable solid

Causes serious eye irritation



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Wear protective gloves/protective clothing/eye protection/face protection

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Hazards not otherwise classified (HNOC)

None identified

0 0		1 . 6	The second of the second of the second
+ $1$ $0$ $0$	aacitian <i>i</i>	Intormation on	Indradiante
J. CUITI	oositioi //	Information on	HIGHERICS

Component	CAS-No	Weight %
Manganese	7439-96-5	>95

### 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention.

**Inhalation** Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration. Get medical attention.

**Ingestion** Clean mouth with water. Get medical attention.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Combustible material.

#### **Hazardous Combustion Products**

None known.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards20N/A

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

Methods for Containment and Clean Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**Up** Sweep up and shovel into suitable containers for disposal.

## 7. Handling and storage

Handling Avoid contact with skin and eyes. Do not breathe dust. Use spark-proof tools and

explosion-proof equipment. Use only non-sparking tools.

Storage Keep in a dry, cool and well-ventilated place. Refer product specification and/or product

label for specific storage temperature requirement. Keep container tightly closed. Keep

away from heat, sparks and flame. Keep under nitrogen.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Manganese	TWA: 0.02 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
	TWA: 0.1 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
		(Vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>	_
		(Vacated) Ceiling: 5 mg/m <sup>3</sup>	_	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical State Powder Solid Appearance Dark brown

OdorNo information availableOdor ThresholdNo information availablepHNo information availableMelting Point/Range1260 °C / 2300 °F

Melting Point/Range 1260 °C / 2300 °F
Boiling Point/Range 1900 °C / 3452 °F
Flash Point No information available
Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific Gravity

No information available

No information available

Partition coefficient; n-octanol/water

Autoignition Temperature

No data available
No information available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Not applicable

Molecular Formula Mn Molecular Weight 54.94

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Moisture sensitive.

**Conditions to Avoid** Incompatible products. Exposure to moisture.

Incompatible Materials Acids, Bases, Halogens

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Manganese	LD50 = 9 g/kg (Rat)	Not listed	Not listed	

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** No information available

Revision Date 19-Jan-2018

### Manganese, powder, -325 mesh

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Manganese	7439-96-5	Not listed				

No information available **Mutagenic Effects** 

No information available. **Reproductive Effects** 

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

Symptoms / effects, both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

### 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Manganese	Not listed	LC50: > 3.6 mg/L, 96h semi-static (Oncorhynchus mykiss)	Not listed	Not listed

Persistence and Degradability Insoluble in water

No information available. **Bioaccumulation/ Accumulation** 

**Mobility** Is not likely mobile in the environment due its low water solubility.

### 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a **Waste Disposal Methods** 

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN3089 **UN-No** 

**Proper Shipping Name** Metal powder, flammable, n.o.s.

**Technical Name** Manganese

**Hazard Class** 4.1 **Packing Group** Ш

TDG

**UN-No** UN3089

**Proper Shipping Name** Metal powder, flammable, n.o.s.

**Hazard Class** 4.1 **Packing Group** Ш

**IATA** 

UN-No UN3089

Proper Shipping Name Metal powder, flammable, n.o.s.

Hazard Class 4.
Packing Group III
IMDG/IMO

UN-No UN3089

**Proper Shipping Name** Metal powder, flammable, n.o.s.

Hazard Class 4.1
Packing Group

## 15. Regulatory information

### **United States of America Inventory**

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Manganese	7439-96-5	X	ACTIVE	-

#### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Manganese	7439-96-5	X	-	231-105-1	X	X	Х	Χ	KE-22999

## U.S. Federal Regulations

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Manganese	7439-96-5	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

#### Clean Air Act

Component	Component HAPS Data		Class 2 Ozone Depletors	
Manganese	X		-	

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Manganese	X	X	X	Χ	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

**U.S. Department of Homeland** 

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 24-Nov-2010

 Revision Date
 19-Jan-2018

 Print Date
 19-Jan-2018

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**