

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 02-Jul-2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: STANLEY STEEMER CITRUS SOLVENT **Product Number:** 2293 [STANLEY STEEMER PART # 30059, 30060]

Recommended Use: Carpet cleaner

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Distributed by:

Stanley Steemer International, Inc.

Dublin, Ohio 43016

800-783-3537 (800-STEEMER)

Manufactured by:

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation: Category 2 Serious Eye Damage/Eye Irritation: Category 1 Skin Sensitization: Category 1 Aspiration Toxicity: Category 1 Flammable Liquids Category 3

GHS Label Elements

Signal Word: Danger

Symbols:



Hazard Statements: Causes skin irritation

> Causes serious eye damage May cause an allergic skin reaction

May be fatal if swallowed and enters airways

Flammable liquid and vapor.

Precautionary Statements:

Prevention: Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection Wear protective gloves

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground container and receiving equipment. Use explosion-proof electrical equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Response:

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR

Revision Date: 02-Jul-2021

PHYSICIAN.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing Wash with plenty of

soap and water Wash contaminated clothing before reuse. If skin irritation or rash occurs:

Get medical attention.

-Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Fire: In case of fire: Use CO2, dry chemical, or foam for extinction Storage: Store locked up. Store in a well-ventilated place. Keep cool

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: • May be harmful if swallowed

• Inhalation of vapors or mist may cause respiratory irritation.

• Mops, towels or rags dampened with this product are combustible and may also be subject to spontaneous combustion. Thoroughly rinse these materials with water to remove product before disposal or discard in special containers designed for this purpose.

· Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Limonene	5989-27-5	30-60
C13-14 Alkane	64742-47-8	30-60
C12-13 Pareth-5	66455-14-9	5-10
C9-11 Pareth-6	68439-46-3	3-7
Isopropyl Alcohol	67-63-0	0.1-1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin Contact: Wash with plenty of soap and water. Take off contaminated clothing and wash before

reuse. If skin irritation or rash occurs: Get medical attention.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Do NOT induce vomiting.

Note to Physicians: Contains petroleum distillates. Possible aspiration hazard.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray, fog or regular foam, Dry chemical or CO2

2293 - STANLEY STEEMER CITRUS SOLVENT

Unsuitable Extinguishing Media:

Specific Hazards Arising from the

Chemical:

Do not use a solid water stream as it may scatter and spread fire.

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and

flash back.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

Revision Date: 02-Jul-2021

protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Environmental Precautions:

Remove all sources of ignition. Use personal protective equipment as required.

Do not dispose of this product by pouring on the ground, into storm sewers, waterways or other surface waters. Consult with local, federal and state authorities prior to disposal of

any d-limonene containing product into the sanitary sewer system.

Methods for Clean-Up:

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Rags, towels or mops soaked with this product are subject to spontaneous combustion if

not handled properly.

7. HANDLING AND STORAGE

Advice on Safe Handling: Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks,

flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be

grounded. Use personal protective equipment as required.

Storage Conditions: Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away

from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and

static electricity).

Suggested Shelf Life: Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection:

Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 02-Jul-2021

	,	
Appearance/Physical State:	Liquid	
Color:	Colorless	
Odor:	Orange Citrus fragrance	
pH:	Not applicable	
Melting Point / Freezing Point:	No information available	
Boiling Point / Boiling Range:	208 °C / 406 °F Estimated	
Flash Point:	50 °C / 122 °F ASTM D56	
Evaporation Rate:	< 1 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available	
Upper Flammability Limit:	No information available	
Lower Flammability Limit:	No information available	
Vapor Pressure:	No information available	
Vapor Density:	No information available	
Specific Gravity:	0.86	
Solubility(ies):	Miscible in water	
Partition Coefficient:	No information available	
Autoignition Temperature:	No information available	
Decomposition Temperature:	No information available	
Viscosity:	No information available	

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Heat, flames and sparks. Direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition Strong oxidizing agents. Strong acids.

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

way include carbon menexiae, carbon alexide (CC2) and exiler texte gaces of vapore

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness and cracking of the skin. May cause sensitization by skin contact

-Inhalation: Nasal discomfort and coughing.

-Ingestion: Pain, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. Aspiration may

cause pulmonary edema and pneumonitis.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Chronic Toxicity: Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and

sensitization of susceptible persons.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 3664 mg/kg ATEmix (dermal): 3355 mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Limonene	= 5200 mg/kg (Rat) = 4400 mg/kg	> 5 g/kg (Rabbit)	Not Available
5989-27-5	(Rat)		
C13-14 Alkane	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h

64742-47-8 C12-13 Pareth-5 Not Available > 10 g/kg (Rat) Not Available 66455-14-9 = 1400 mg/kg (Rat) Not Available Not Available C9-11 Pareth-6 68439-46-3 Isopropyl Alcohol = 1870 mg/kg (Rat)= 4059 mg/kg (Rabbit) $= 72600 \text{ mg/m}^3 \text{ (Rat) 4 h}$ 67-63-0

Revision Date: 02-Jul-2021

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Limonene 5989-27-5	Not Available	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	Not Available	Not Available
C13-14 Alkane 64742-47-8	Not Available	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50

Persistence and Degradability: No information available. Bioaccumulation: No information available.

Marine Pollutant: Yes.

Other Adverse Effects: No information available

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, state and local regulations. Do not dispose of this **Disposal of Wastes:**

product by pouring on the ground, into storm sewers, waterways or other surface waters. Consult with local, federal and state authorities prior to disposal of any d-limonene

containing product into the sanitary sewer system.

Dispose of in accordance with federal, state and local regulations. **Contaminated Packaging:**

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1993

Proper Shipping Name: Flammable liquids, n.o.s., (contains d-limonene)

Hazard Class: Packing Group:

Class 3, Packing Group III materials meet the exception requirements of section 49 CFR **Special Provisions:**

> 173.150 when individual containers of not more than 1.3 gallons are packed in a strong outer packaging and ground transportation is utilized. Such containers may be reclassified

as "Limited Quantity".

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 02-Jul-2021

expert for information specific to your situation.

IMDG:

UN/ID No: UN1993

Proper Shipping Name: Flammable liquids, n.o.s., (contains d-limonene), Marine Pollutant

Hazard Class: 3
Packing Group: III
Marine Pollutant: Yes.

Additional information: According to IMDG Code 2.10.2.7, marine pollutants packed in single or inner packagings

with a capacity of not more than 5 L or 5 kg are excluded from marine pollutant marking

requirements.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health Hazards: 2 Flammability: 2 Instability: 0 Special: N/A

Health Hazards: 2* Flammability: 2 Physical Hazards: 0

Revision Date: 02-Jul-2021 Reasons for Revision: Section, 14

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet